REFERENCE

1. **Anand PT, Rajaganapathy J, Edward P.** Antibacterial activity of marine mollusks from Porto Nova region. *Indian J Mar Sci* 1997; **26**, p.206-208.
2. **Anbuselvi S, Chellaram C, Jonesh S, Jayanthi L, Edward JKP.** Bioactive potential of cor-al associated gastropod, Trochus tentorium of Gulf of Mannar, Southeastern India. *J Med Sci* 2009; **9(5),** p.240-244.
3. **Annamalai N, Anburaj R, Jayalaksmi S, Thavasi R.** Antibacterial activities of green mus-sel (Perna vridis) and edible oyster (Crassostrea madrasensis). *Res J Microbiol* 2007; **2(12)**, p.978-982.
4. **Arenas G, Guzman F, Cardeness C, Mercado L, Marshall SH.** A novel antifungal peptide designed from primary structureof natural antimicrobial peptides from Argopecten purpu-ratus hemocyes. *Peptides* 2009; **30**, p.1405-1411.
5. **Barua P, Mitra A, Banerjee K, Chowdhury MSN**. Seasonal Variation of Heavy Metals Ac-cumulation in Water and Oyster (Saccostrea cucullata) Inhabiting Central and Western Sector of Indian Sundarbans. *Medwell Journal*, 2011, **5(3),** p.121-130. (DOI: 10.3923/erj.2011.121.130)
6. **Berkholder PR, Burkholder LM.** Antimicrobial activity of horny corals. *Science* 1958; **127**,p.1174.
7. **Bhattacharjee I, Chatterjee SK, Chandra G.** Isolation and identification of antibacterial components in seed extracts ofArgemone mexicana L. (Papaveraceae). *Asian Pac J Trop Med* 2010; **3(7)**, p.547-551.
8. **Chan BP, Lee J, Park IY, Kim MS, Kim SC.** A novel antimicrobial peptide from the loach, Misgurnus anguillicaudatus. *FEBS*,May.1997,p.173-178.
9. **Chandran B, Rameskumar G, Ravichadren S**. Antimicrobial activity from the gill extrac-tion of Perna viridis (Linnaues, 1758). *Glob J Biotech Biochem* 2009; **4(2)** p.88-92.
10. **Chatterjee SK, I Bhattacharjee, Chandra G.** Isolation and identification of bioactive anti-bacterial components in leaf extracts of Vangueria spinosa (Rubiaceae). *Asian Pac J Trop Med* 2011; **4(1)**,p.35-40.
11. **Chellaram C, Gnanambal KME, Edward JKP**. Antibacterial activity of the winged oyster Pteria chinensis (Pterioida: Pteridae). *Indian J Mar Sci* 2004; **33(4)**,p.369-372.

12. **Cudic M, Condie BA, Weiner DJ, Lysenko ES, Xiang ZQ, Insug O, Bulet P, Otvos L Jr.** Development of novel antibacterial peptides that kill resistant isolates. *Peptides*. Dec.2002,**23(12)**,p.2071-2083.
13. **Darabpour E, Motamedi H, Nejad SMS**. Antimicrobial properties of Teucrium polium against some clinical pathogens. *Asian Pac J Trop Med* 2010; **3(2)**,p.124-127.
14. **Elizabeth MKG, Chellaram C, Jamila P**. Antimicrobial activity of reef associated gastro-pod, Trochus radiatus. National Seminar on Ecosystem, *Remediation*; 2003, p. 68.
15. **Estari M, Satyanarayana J, Kumar BS, Bikshapathi T, Reddy AS, Venkanna L .** In vitro study of antimicrobial activity in freshwater mussel (Lamellidens marginalis) extracts. *Bi-ology and Medicine*,2011, **3(2)** Special Issue, p.191-195.
16. **Gauri SS, Mandal SM, Pati BR, Dey S**. Purification and structural characterization of a novel antibacterial peptide from Bellamya bengalensis: Activity against ampicillin and chloramphenicol resistant Staphylococcus epidermidis. *Peptides*.Apr.2011, **32**, p.691-696.
17. **Gonzalez M, Gueguen Y, Desserre G, de Lorgeril J, Romestand B,Bachere E**. Molecular characterization of two isoforms of defensin from hemocytes of the oyster Crassostrea gi-gas. *Dev Comp Immunol* 2007; **31**,p.332-339.
18. **Gueguen Y, Bernard R, Julie F, Paulina S, Delphine DG, Franck V, Philippe B, Evelyne B**. Oyster hemocytes express a proline-rich peptide displaying synergistic antimicrobial ac-tivity with a defensin. *Mol Immunol.* Feb.2009, **46(4)**, p. 516-522.
19. **Gueguen Y, Herpin A, Aumelas A, Garnier J, Julie F, Escoubas M J, Philippe B, Gonzalez M, Lelong C, Favrel P, Evelyne B**. Characterization of a Defensin from the Oyster Crassostrea gigas:Recombinant production, folding, solution stracture, antimicrobial ac-tivities and gene expression. *The Journal Of Biological Chemistry*,Jan. 2006,**281(1)**, p. 313–323.
20. **Iijima R, Kisugi J, Yamazaki M .** A novel antimicrobial peptide from the sea hare Dolabel-la auricularia. *Dev Comp Immunol*. Apr.2003, **27(4),** p.305-311.
21. **Jarrar N, Abu-Hijleh A, Adwan K.** Antibacterial activity of Rosmarinus officinalis L. alone and in combination with cefuroxime against methicillin–resistant Staphylococcus aureus. *Asian Pac J Trop Med* 2010; **3(2)**, p.121-123.

22. **Jayaseli AA, Prem Anand T, Murugan D**. Antimicrobial activity of four bivalves from Gulf of Mannar, *Phuket. Mar Biol Cent Spec Publ* 2001; **25(1)**, p.215-217.
23. **Johnson M, Wesely EG, Hussain ZMI, Selvan N.** In vivo and in vitro phytochemical and antibacterial efficacy of Baliospermum montanum(Willd.) Muell. Arg. *Asian Pac J Trop Med* 2010; **3(11)**, p.894-897.
24. **Johnson M, Wesely EG, Kavitha MS, Uma V**. Antibacterial activity of leaves and inter-nodal callus extracts of Mentha arvensis L. *Asian Pac J Trop Med* 2011; **4(3)**, p.196-200.
25. **Ju Hyun Cho, In Yup Park, Hun Sik Kim, Won Taek Lee, Mi Sun Kim, and Sun Chang Kim. Cathepsin D** produces antimicrobial peptide parasin I from histone H2A in the skin mucosa of fish. *The FASEB Journal*,Jan.2002, p.736
26. **Kannan RR, Arumugam R, Anantharaman P.** Antibacterial potential of three seagrasses against human pathogens. *Asian Pac J Trop Med* 2010; **3(11)**, p.890-893.
27. **Kaur J, Rathinam X, Kasi M, Leng KM, Ayyalu R, Kathiresan S,Subramaniam S.** Prelimi-nary investigation on the antibacterial activity of mango (Mangifera indica L: Anacardi-aceae) seed kernel. *Asian Pac J Trop Med* 2010; **3(9)**, p.707-710.
28. **Koochak H, Seyyednejad SM, Motamedi H. Preliminary** study onthe antibacterial activity of some medicinal plants of Khuzestan (Iran). *Asian Pac J Trop Med* 2010; **3(3)**,p.180-184.
29. **Kubota Y, Watanabe Y, Otsuka H, Tamiya T, Tsuchiya T,Matsumoto JJ**. Purification and characterization of an antibacterial factor from snail mucus. *Comp Biochem Physiol C* 1985; **82**, p.345-348.
30. **Lenin T**. Biochemical composition and antibacterial activity of marine gastropod Murex virgineus (MSc thesis). CAS in Marine Biology, Annamalai University, Parangipettai; 2011, p.30.
31. **Lguchi SM, Aikawa T, Matsumoto JJ.** Antibacterial activity of snail mucus mucin. *Comp Biochem Physiol A Comp Physiol* 1982; 72, p.571-574.
32. **Li H, Parisi G M, Parrinello N, Cammarata M, Roch P.** Molluscan antimicrobial peptides, a review from activity-based evidences to computer-assisted sequences. *Invertibrate Sur-vival Journal,*2011, **8(1)**, p.85-97.

33. **Madhumitha G, Saral AM**. Preliminary phytochemical analysis,antibacterial, antifungal and anticandidal activities of successiveextracts of Crossandra infundibuliformis. *Asian Pac J Trop Med* 2011; **4(3)**, p.192-195.
34. **Mandal SM, Dey S, Mandal M, Sarkar S, Maria-Neto S, Franco OL.** Identification and structural insights of three novel antimicrobial peptides isolated from green coconut wa-ter. *Peptides*.Apr.2009, **30(4)**, p.633-637
35. **Mitra A, Choudhury A**. Trace metals in macrobenthic molluscs of the Hooghly estuary, India. *Marine Pollution Buletin*. 1993, **26(9)**, p. 521-522.
36. **Mitta G, Hubert F, Dyrynda EA, Boudry P, Roch P. Mytilin B and MGD2**, two antimicro-bial peptides of marine mussels: gene structure and expression analysis. *Dev Comp Im-munol.* Jun.2000,**24(4)**, p.381-393.
37. **Naik MI, Fomda BA, Jaykumar E, Bha JA.** Antibacterial activity of lemongrass (Cymbopogon citratus) oil against some selected pathogenic bacterias. *Asian Pac J Trop Med* 2010; **3(7)**, p.535-538.
38. **Patrzykat A, Jeffrey W. G., Jung-Kil Seo, Jennifer Pytyck,Susan Douglas E.** Novel Anti-microbial Peptides Derived from Flatfish Genes. *Antimicrobial Agents And Chemothera-py*, Aug. 2003, p. 2464–2470
39. **Peixoto JRO, Silva GC, Costa RA, Fontenelle JRLDS, Vieira GHF, Filho AAF, et al.** In vitro antibacterial effect of aqueous and ethanolic Moringa leaf extracts. *Asian Pac J Trop Med* 2011; **4(3)**, p.201-204.
40. **Periyasamy N, Srinivasan M, Balakrishnan S**. Antimicrobial activities of the tissue extracts of Babylonia spirata Linnaeus, 1758 (Mollusca: Gastropoda) from Thazhanguda, southeast coast of India. *Asian Pac J Trop Biomed* 2012; **2(1)**, p.36-40
41. **Reddy NSV**. Antibacterial activity and bioactive stuff from the ink gland of cuttle fish Se-pia officinalis (Linnaeus, 1758) (MSc thesis). Annamalai University, Parangipettai; 2008, p. 37.
42. **Rinehart KL, Shaw PD, Shield LS, Gloer JB, Harbour GC, Koker MES, et al.** Marine nat-ural products as a source of antiviral,antimicrobial and antineoplastic agents. *Pure Appl Chem* 1981; **53**, p.795-817.
43. **Saraswathi R, Krishnan PN, Dilip C.** Antimicrobial activity of cotton and silk fabric with herbal extract by micro encapsulation.*Asian Pac J Trop Med* 2010; **3(2)**, p.128-132.

44. **Seyyednejad SM, Koochak H, Darabpour E, Motamedi H.** A survey on Hibiscus rosa-sinensis, Alcea rosea L. and Malva neglecta Wallr as antibacterial agents. *Asian Pac J Trop Med* 2010; **3(5)**, p.351-355.

45. **Shanmugan A, Mahalakshmi TS, Vino BA**. Antimicrobial activity of poly saccharide iso-lated from the cuttle bone ofSepia aculeate (Orbingy, 1848) and Sepia brevimana (Steenstyup, 1872) an approach to selected antimicrobial actibvity for humanpathogenic microorganisms. *J Fish Aquat Sci* 2008; **3(5)**, p.268-274.

46. **Sharma S.,Chatterji A.,Das P.** Effect of different extraction procedures on antimicrobial activity of marine bivalves: A comparison. J.*Biol. Universiti Putra Malaysia Press*, 2009.

47. **Shaw PD, McClure WO, Van Blaricom G, Sims J, Fenical W, Rude J.** Antimicrobial ac-tivities from marine organisms. In: Webber HH, Ruggieri GD. (eds.) Food drugs from the sea. Washington DC, *Marine Technology* ; 1976, p. 55-60.

48**. Srinivasan G.** Studies on antimicrobial properties of a gastropod Hemifusus pugilinus and a bivalve Anadara granosa (MSc thesis). Annamalai University, Parangipettai; 2008, p. 27.

49. **Suges S, Mayavu P.** Antimicrobial Activities of Two Edible Bivalves M. meretrix and M. casta. *Pakistan Journal of Biological Sciences*,Jan.2013, **16 (1)**, p.38-40

50. **Sugesh S.** Antimicrobial activities of bivalve Mollusca Meretrix meretrix (Linnaeus, 1758) and Meretrix casta (Gmelin, 1791) (M. Phily thesis). Annamalai University, Paran-gipettai; 2010; p.65.

51. **Sumita S, Chatterji A, Das P.** Effect of different extraction procedures on antimicrobial activity of marine bivalves: acomparison. *Pertan J Trop Agric Sci* 2009; **32(1)**, p.77-83.

52. **Umayaparvathi S., Arumugam M., Meenakshi S., Balasubramanian T.** Biosynthesis of Sil-ver nanoparticles using oyster *Saccostrea Cuculata* (Born:1778): Study of in-vitro Antimi-crobial Activity. *I.J.S.N*., 2013, **4(1)**, p.199-203.

53. **Wang GD, Liu BZ, Tang BJ, Zhang T, Xiang JH**. Pharmacologicaland immunocytochemi-cal investigation of the role of catecholamines on larval

metamorphosis by adrenergic-like receptor in the bivalve Meretrix meretrix. *Aquaculture* 2006; **25(8)**. p.611-618.

54. **Wu TH, Yang RL, Xie LP, Wang HZ, Chen L, Zhang SY, et al.** Inhibition of cell growth and induction of G1-phase cell cyclearrest in hepatoma cells by steroid extract from Mer-etrix meretrix. *Cancer Lett* 2006; **23(2)**, p.199-205.